



CONCEALED CARRY

WWW.CMTPL.COM

ABOUT CMT

Counter Measures Technologies Pvt Ltd (CMT), for over a decade has been a trusted supplier of world-class arms, ammunition, and special equipments to Defence Forces, Central Armed Police Forces and State Police Forces. CMT is proud to invest in manufacturing capacity for arms, ammunition, and equipment under the Make-In-India initiative.

CMT's manufacturing unit is on par with global standards for Defence manufacturing. Sprawling over 10 acres of the 300 acres earmarked for the Joint Task Facility on a highly secure real estate at Tiruvallur District, Tamil Nadu, part of the Tamil Nadu Defence Industrial Corridor, the Battle Arms Division is now home for the manufacture & proof test of several calibres of Small Arms & Ammunition.

Manufacturing & assembly lines with state-of-the-art machinery, robust quality controls of both "Man & Machine" ensure every firearm produced supersedes any contemporaries made in India. In-house Proof Testing ensures all Small Arms and Ammunition departing production lines are tested to global standards.

CMT-JTF is ideally located in Tamil Nadu Defence Corridor & the Tamil Nadu State Govt (Industries Ministry), has signed an MoU with CMT for the production of Small Arms & Ammunition, one of its first in the State.

Our customer base includes valid Indian Arms License Holders -from farmers to celebrities, sport personalities, professionals such as doctors, lawyers, engineers, media personalities, businessmen/women to business tycoons, professional shooters, eminent awardees, pilots, bureaucrats, police personnel, politicians & so on.

For the commercial Indian market & as per Arms Act 2016, CMT offers, Indian market for Self Defence/Protection and the shooter fraternity a wide array of calibres such as .22, .357, .380, .40 & .45 with Compact, Sub Compact, Full Frame and Slim Line Pistols as per needs and requirements of an individual license holder for the purpose of "Concealed Carry".

Individuals have a choice to choose from our production models that fits their lifestyle & budget. CMT's goal is to provide affordable handguns that are reliable to defend themselves and to defend those who cannot defend themselves.

CMT GLOCK 42, the smallest pistol in our catalogue is an ideal choice of self defence for women, it fits into a purse and is one of the best options for Concealed Carry. The concealed presence of a G42 offers enormous confidence to Indian women to make strides in their careers or lives, no matter whatever surprises life has to offer.

CMT-GLOCK have been delivering 9mm pistols to the Indian Armed Forces for a long time now & CMT-GLOCK pistols evidently have superseded the expectations of the Govt and end users nationwide. Now CMT-GLOCK JV extends it's sale into the commercial market with the same promise of "Confidence is What You Carry".



FACILITY



GLOCK

Safe Action System



TRIGGER SAFETY

The trigger safety is the first safety in the firing sequence. It's incorporated into the trigger in the form of a lever and when it's engaged blocks the trigger from moving rearward. To fire the pistol, the trigger safety and the trigger itself must be deliberately depressed at the same time. If the trigger safety is not depressed, the trigger will not move rearwards and allow the pistol to fire. The trigger safety is designed to prevent the pistol from firing if its dropped or the trigger is subjected to any pressure that isn't a direct firing pull.

Warning: If the trigger is in the forward position the pistol maybe loaded

FIRING PIN SAFETY

The second safety, the firing pin safety, mechanically drops the firing pin from moving forward in the ready to fire condition.

As the trigger is pulled rearward, the trigger bar pushes the firing pin safety up and frees the firing pin channel. If you decide not to fire and release the trigger, the firing pin safety automatically re-engages

DROP SAFETY


The final safety involves the trigger bar, which rests on the safety ramp within the trigger mechanism housing.

The trigger bar engages the rear portion of the firing pin and prevents the firing pin from moving forward.

As the trigger is pulled rearward, the trigger bar lowers down the safety ramp and allows the release of the firing pin.

After firing, the trigger bar moves upwards and re-engages the firing pin.

As the trigger is released, all safeties automatically re-engage.



G25

COMPACT | .380 AUTO



CMT GLOCK 25

Because of its small dimensions equal to those of the GLOCK 19, the GLOCK 25 in the low-recoil .380 caliber can be comfortably carried and concealed.

CELEBRITY SERIES

TECHNICAL DATA



Caliber

.380 Auto



System

Safe Action®



Mag. Capacity

Standard: 15

Optional: 17



Barrel Length

102 mm | 4.02 inch



Weight

without magazine

575 g | 20.28 oz



Weight

with empty magazine

645 g | 22.75 oz



Weight

with loaded magazine

785 g | 27.69 oz



Trigger Pull

28 N

DIMENSIONS



1 LENGTH (OVERALL)*	187mm 7.36 inch
2 SLIDE LENGTH	174 mm 6.85 inch
3 WIDTH (OVERALL)	32 mm 1.26 inch
4 SLIDE WIDTH	25.5 mm 1.0 inch
5 HEIGHT INCL. MAG.	128 mm 5.04 inch
6 sight radius POLYMER	153 mm 6.02 inch
sight radius STEEL	152 mm 5.98 inch
sight radius GNS	151 mm 5.94 inch
7 TRIGGER DISTANCE*	71.2 mm 2.80 inch

Technical Data are rounded and do not reflect tolerances-they may be altered without notice! Subject to technical changes

G36

SUBCOMPACT | .45 AUTO



CMT GLOCK 36

Six rounds of .45 Auto in a package that fits into the hands of any user. The GLOCK 36 presents grip ergonomics of the next dimension.

The GLOCK single stack magazine allows for a slim frame and a slide with reduced width.

PREMIUM SERIES

BEST SELLER

TECHNICAL DATA



Caliber

.45 Auto



System

Safe Action®



Mag. Capacity

Standard: 6



Barrel Length

96 mm | 3.78 inch



Weight

without magazine

565 g | 19.93 oz



Weight

with empty magazine

635 g | 22.40 oz



Weight

with loaded magazine

760 g | 26.81 oz



Trigger Pull

28 N

DIMENSIONS



1 LENGTH (OVERALL)*	177mm 6.97 inch
2 SLIDE LENGTH	172 mm 6.77 inch
3 WIDTH (OVERALL)	30 mm 1.18 inch
4 SLIDE WIDTH	25.5 mm 1.0 inch
5 HEIGHT INCL.MAG.	120 mm 4.72 inch
6 Line of Sight (POLYMER)	150 mm 5.91 inch
Line of Sight (STEEL)	149 mm 5.87 inch
Line of Sight (GNS)	148 mm 5.83 inch
7 TRIGGER DISTANCE*	75 mm 2.95 inch

*FOR GEN4/GEN5 MODELS: Check out the Gen5 Gen4 Technology area for medium/large backstraps

Technical Data are rounded and do not reflect tolerances-they may be altered without notice! Subject to technical changes

G44

COMPACT | .22 LR



CMT GLOCK 44

The G44 is the ideal pistol to start or enhance your shooting experience. The innovative design of the hybrid steel-polymer slide chambered in our first .22 caliber round provides a lightweight and low recoil functionality for optimal control.

LIFESTYLE SERIES

TECHNICAL DATA



Caliber

.22 LR



System

Safe Action®



Mag. Capacity

Standard: 10

Optional: 10



Barrel Length

102 mm | 4.02 inch



Weight

without magazine

358 g | 12.63 oz



Weight

with empty magazine

415 g | 14.64 oz



Weight

with loaded magazine

465 g | 16.40 oz



Trigger Pull

26 N

DIMENSIONS



1 LENGTH (OVERALL)*	185mm 7.28 inch
2 SLIDE LENGTH	174 mm 6.85 inch
3 WIDTH (OVERALL)	32 mm 1.26 inch
4 SLIDE WIDTH	25.5 mm 1.00 inch
5 HEIGHT INCL.MAG.	128 mm 5.04 inch
6 Line of Sight (POLYMER)	153 mm 6.02 inch 158 mm 6.22 inch (adjustable)
Line of Sight (STEEL)	152 mm 5.98 inch
Line of Sight (GNS)	151 mm 5.94 inch
7 TRIGGER DISTANCE*	70 mm 2.76 inch

*FOR GEN4/GEN5 MODELS: Check out the Gen5 Gen4 Technology area for medium/large backstraps

Technical Data are rounded and do not reflect tolerances-they may be altered without notice! Subject to technical changes

G22 GEN4

STANDARD | .40



CMT GLOCK 22 GEN 4

The .40 S&W caliber closes the gap between the heavy .45 Auto calibers and the 9 mm Luger service calibers. By applying the Gen4 technology with the modular back strap design and the reversible magazine catch to this pistol model, the user may instantly customize its grip.

LIMITED EDITION SERIES



TECHNICAL DATA



Caliber

.40



System

Safe Action®



Mag. Capacity

Standard: 15

Optional: 15 / 16 / 22



Barrel Length

114 mm | 4.49 inch



Weight

without magazine

645 g | 22.75 oz



Weight

with empty magazine

725 g | 25.57 oz



Weight

with loaded magazine

975 g | 34.39 oz



Trigger Pull

28 N

DIMENSIONS



1 LENGTH (OVERALL)*	202mm 7.95 inch
2 SLIDE LENGTH	186 mm 7.32 inch
3 WIDTH (OVERALL)	32 mm 1.26 inch
4 SLIDE WIDTH	25.5 mm 1.0 inch
5 HEIGHT INCL.MAG.	139 mm 5.47 inch
6 Line of Sight (POLYMER)	165 mm 6.50 inch
Line of Sight (STEEL)	164 mm 6.46 inch
Line of Sight (GNS)	163 mm 6.42 inch
7 TRIGGER DISTANCE*	70 mm 2.76 inch

*FOR GEN4/GEN5 MODELS: Check out the Gen5 Gen4 Technology area for medium/large backstraps

Technical Data are rounded and do not reflect tolerances-they may be altered without notice! Subject to technical changes

G31 GEN4

STANDARD | .357



CMT GLOCK 31 GEN4

The GLOCK 31 Gen4, in .357 SIG, is the optimal solution for those seeking high muzzle velocity and superior precision in a reliable, yet lightweight pistol with large magazine capacity.

LIMITED EDITION SERIES

TECHNICAL DATA



Caliber

.357



System

Safe Action®



Mag. Capacity

Standard: 15

Optional: 15 / 16



Barrel Length

114 mm | 4.49 inch



Weight

without magazine

660 g | 23.28 oz



Weight

with empty magazine

740 g | 26.10 oz



Weight

with loaded magazine

940 g | 33.16 oz



Trigger Pull

28 N

DIMENSIONS



1 LENGTH (OVERALL)*	202mm 7.95 inch
2 SLIDE LENGTH	186 mm 7.32 inch
3 WIDTH (OVERALL)	32 mm 1.26 inch
4 SLIDE WIDTH	25.5 mm 1.0 inch
5 HEIGHT INCL.MAG.	139 mm 5.47 inch
6 Line of Sight (POLYMER)	165 mm 6.50 inch
Line of Sight (STEEL)	164 mm 6.46 inch
Line of Sight (GNS)	163 mm 6.42 inch
7 TRIGGER DISTANCE*	70 mm 2.76 inch

*FOR GEN4/GEN5 MODELS: Check out the Gen5 Gen4 Technology area for medium/large backstraps

Technical Data are rounded and do not reflect tolerances-they may be altered without notice! Subject to technical changes

G21 GEN4

STANDARD | .45 AUTO



CMT GLOCK 21 GEN4

Remarkable for its accuracy and light recoil, the GLOCK 21 Gen4 delivers the power of the .45 Auto round with high magazine capacity. The modular back strap system makes it possible to instantly customize its grip to accommodate any hand size.

PREMIUM SERIES

BEST SELLER

TECHNICAL DATA



Caliber

.45 Auto



System

Safe Action®



Mag. Capacity

Standard: 13

Optional: 13



Barrel Length

117 mm | 4.61 inch



Weight

without magazine

745 g | 26.28 oz



Weight

with empty magazine

830 g | 29.28 oz



Weight

with loaded magazine

1100 g | 38.80 oz



Trigger Pull

28 N

DIMENSIONS



1 LENGTH (OVERALL)*	205mm 8.07 inch
2 SLIDE LENGTH	193 mm 7.60 inch
3 WIDTH (OVERALL)	34 mm 1.34 inch
4 SLIDE WIDTH	28.5 mm 1.12 inch
5 HEIGHT INCL.MAG.	140 mm 5.51 inch
6 Line of Sight (POLYMER)	172 mm 6.77 inch
Line of Sight (STEEL)	171 mm 6.73 inch
Line of Sight (GNS)	170 mm 6.69 inch
7 TRIGGER DISTANCE*	72.5 mm 2.85 inch

*FOR GEN4/GEN5 MODELS: Check out the Gen5 Gen4 Technology area for medium/large backstraps

Technical Data are rounded and do not reflect tolerances-they may be altered without notice! Subject to technical changes

G30 GEN4

STANDARD | .45 AUTO



CMT GLOCK 30 GEN4

The GLOCK 30 Gen4 in the .45 Auto offers excellent out-of-the-box precision paired with the ballistic quality of this caliber. The Gen4 design of this small easy-to-shoot package combines a shorter trigger reach with a great magazine capacity.

PREMIUM SERIES

BEST SELLER

TECHNICAL DATA



Caliber

.45 Auto



System

Safe Action®



Mag. Capacity

Standard: 10

Optional: 10 / 9 / 13



Barrel Length

96 mm | 3.78 inch



Weight

without magazine

675 g | 23.81 oz



Weight

with empty magazine

745 g | 26.28 oz



Weight

with loaded magazine

955 g | 33.69 oz



Trigger Pull

28 N

DIMENSIONS



1 LENGTH (OVERALL)*	177mm 6.97 inch
2 SLIDE LENGTH	172 mm 6.77 inch
3 WIDTH (OVERALL)	35 mm 1.38 inch
4 SLIDE WIDTH	28.5 mm 1.12 inch
5 HEIGHT INCL.MAG.	122 mm 4.80 inch
6 Line of Sight (POLYMER)	150 mm 5.91 inch
Line of Sight (STEEL)	149 mm 5.87 inch
Line of Sight (GNS)	148 mm 5.83 inch
7 TRIGGER DISTANCE*	72.5 mm 2.85 inch

*FOR GEN4/GEN5 MODELS: Check out the Gen5 Gen4 Technology area for medium/large backstraps

Technical Data are rounded and do not reflect tolerances-they may be altered without notice! Subject to technical changes

G42

SUBCOMPACT | .380 AUTO



CMT GLOCK 42

For those discerning shooters who desired the smallest GLOCK possible, the company responded with the now popular G42 in .380 AUTO with ultra-compact dimensions and easy-to-shoot characteristics.

SLIM LINE SERIES

TECHNICAL DATA



Caliber

.380 Auto



System

Safe Action®



Mag. Capacity

Standard: 6

Optional: 6 / 6



Barrel Length

82.5 mm | 3.25 inch



Weight

without magazine

345 g | 12.17 oz



Weight

with empty magazine

390 g | 13.76 oz



Weight

with loaded magazine

450 g | 15.87 oz



Trigger Pull

24 N

DIMENSIONS



1 LENGTH (OVERALL)*	151mm 5.94 inch
2 SLIDE LENGTH	146 mm 5.75 inch
3 WIDTH (OVERALL)	25 mm 0.98 inch
4 SLIDE WIDTH	21 mm 0.83 inch
5 HEIGHT INCL.MAG.	105 mm 4.13 inch
6 Line of Sight (POLYMER)	125 mm 4.92 inch
Line of Sight (STEEL)	124 mm 4.88 inch
Line of Sight (GNS)	123 mm 4.84 inch
7 TRIGGER DISTANCE*	61 mm 2.40 inch

*FOR GEN4/GEN5 MODELS: Check out the Gen5 Gen4 Technology area for medium/large backstraps

Technical Data are rounded and do not reflect tolerances-they may be altered without notice! Subject to technical changes

CMT GLOCK ACCESSORIES

CMT GLOCK CARRY BOX

HOLSTER

MAGAZINE SPEED LOADER

CLEANING ROD

CLEANING BRUSH

CMT GLOCK RANGE KIT



CMT GLOCK ACCESSORIES

CMT GLOCK RANGE KIT

CMT GLOCK Range Kit is the perfect addition for any range day. The CMT GLOCK Range Kit includes GLOCK Hearing Protection EarMuffs, Foam Ear Plugs with connection tether, GLOCK Ear Plug case, Shooter/Safety Glasses, and GLOCK Cloth Pouch.

This product features:

- Shooting glasses with clear poly-carbonate lenses offering eye protection and enhanced target visibility.
- Soft foam earplugs provide noise reduction up to 32 dB and come with a plastic GLOCK storage case.
- Adjustable ear muffs with padded headband that has a noise reduction rating of 25 dB.



CONTACT INFORMATION

COUNTER MEASURES TECHNOLOGIES PVT. LTD

(Joint Task Facility - Battle Arms Division),
SF No. 122/1,2,3A,3B,4,5,6,7,8,9,10,11,121/6,
Mappedu Melnallatur Road, Nungambakkam Village,
Tiruvallur Dist-602 002, Tamil Nadu.
E: npb@cmtpl.com
Helpline: + 91 99556 99556

DISTRIBUTORS & DEALERS

Our List of Distributors and Dealers for PAN India is updated on our website: www.cmtpl.com periodically. Tremendous amount of effort has been put into the selection of our Distributors & Dealers nationwide. Our network offers trusted & transparent Customer Support / Rapport throughout India



WWW.CMTPL.COM